

## CLAIMS

Claims 1-31 (cancelled)

Claim 32 (Currently Amended): A composite comprising:

a sandwich structure comprising at least two surface layers attached to a central layer of rigid epoxy foam wherein the layer of epoxy foam comprises:

- i. from about 15% to about 65% by weight epoxy resin;
- ii. is at least 1.5 times the combined thickness of the two surface layers; and
- iii. has a density of from 0.2 to 1.5 gram/cc;

wherein the resulting composite has a flexural modulus as measured by ASTM D790/ISO 178 from 200 mPa to 700 mPa; and

wherein the at least two surface layers are matching an internal tube structure located inside of an and external tube structure[[s]], and the internal tube structure cross-section of the at least two surface layers are is hollow tubes; and

wherein the epoxy foam is embedded in the two surface layers.

Claim 33 (Previously Presented): A composite according to claim 32 in which the foam has a density of between 0.4 and 1.5 gram/cc.

Claim 34 (Currently Amended): A composite according to claim 32 in which the surface layers are a metal foil such as aluminium made of aluminum or steel [[foil]].

Claim 35 (Previously presented): A composite according to claim 32 in which the surface layers are porous, fibrous, or both.

Claim 36 (Previously presented): A composite according to claim 32 in which the surface layers are fibrous and the fibres are carbon fibre, glass fibre, or Kevlar.

Claim 37 (Cancelled):

Claim 38 (Cancelled):

Claim 39 (Currently Amended): A composite according to claim 32, wherein the internal tube structure and the external tube structure are in which the surface layers are concentric tubes.

Claim 40 (Currently Amended): A composite according to claim 32 in which the surface layers are made of a metal that includes aluminum.

Claim 41 (Cancelled):

Claim 42 (Previously Presented): A composite according to claim 32 in which the composite is part of a construction building or a transportation vehicle.

Claim 43 (Currently Amended): A composite according to claim 42 in which the composite is configured to provides reinforcement against crash in vehicles against a crash.

Claim 44 (Currently Amended): A composite according to claim 43 in which the composite is configured to provides reinforcement to an automobile door reinforcement.

Claim 45 (Currently Amended): A composite according to claim 32 in which the composite is configured to provides strength in a sporting good.

Claim 46 (Currently Amended): A composite comprising:

a sandwich structure comprising:

at least two surface layers attached to a central layer of rigid epoxy material ~~foam~~ wherein the layer of epoxy material ~~foam~~ comprises:

- a) from about 15% to 65% by weight epoxy material ~~resin~~;
- b) is at least 1.5 times the combined thickness of the two surface layers,  
and
- c) the ~~foam~~ epoxy material has a density of from 0.3 to 0.6 gram/cc,  
wherein:

- i. each of the at least two surface layers has a thickness of from 0.2 to 10 millimeter[s] and the central layer of a ~~rigid~~ epoxy material ~~foam~~ has a thickness of from 2 to 200 millimetres;
  - ii. the composite has a flexural modulus as measured by ASTM D790/ISO 178 from 200 mPa to 700 mPa;
  - iii. the composite has a density of from 0.1 to 1 gram/cc;
  - iv. the surface layers are ~~matching~~ internal and external structures; and
  - v. ~~the cross-section of~~ the surface layers are an internal tube structure located inside of an external tube structure and the internal tube structure is hollow tubes;
- wherein the epoxy material is embedded in, and optionally through, the two surface layers.

Claim 47 (Currently Amended): A composite according to claim 46 in which the surface layers are a ~~[[of]] metal foil such as aluminium made of aluminum, [[or]] steel foil, or plastic film, or sheeting, made of such as polypropylene, [[or]] polyethylene film, or polyethylene terephthalate film.~~

Claim 48 (Previously Presented): A composite according to claim 46 in which the surface layers are porous, fibrous, or both.

Claim 49 (Cancelled):

Claim 50 (Cancelled):

Claim 51 (Cancelled):

Claim 52 (Currently Amended): A composite according to claim 32, wherein the internal tube structure and the external tube structure are concentric and are made of ~~in which the surface layers are carbon fibre formed as concentric tubes.~~

Filed Via EFS @ USPTO.gov on 04.17.2012  
Docket No. 1001-159

Claim 53 (Currently Amended): A composite according to claim 46, wherein the internal tube structure and the external tube structure are concentric and are made of ~~in which the surface layers are carbon fibre formed as concentric tubes.~~

Claim 54 (Currently Amended): A composite according to claim 32, in which the surface layers are a plastic film or sheeting ~~such as~~ made of polypropylene, [[or]] polyethylene film, or polyethylene terephthalate film.

Claim 55 (Previously Presented): A composite according to claim 32, wherein the central layer of rigid epoxy foam has a thickness from 5 mm to 15 mm.

Claim 56 (Previously Presented): A composite according to claim 32, wherein the two surface layers are made of different materials.

Claim 57 (Cancelled):

Claim 58 (New): A composite according to claim 44, wherein all of the at least two surface layers are encased with the epoxy foam.